



# IT'S A PRICE MELTDOWN!

Simply better.

Distributed by:

**NEW**

Buy 4+  
**\$12<sup>13</sup>**  
ea.



**classiX®**

## International line of welding clamps

- Common platform of high volume clamp styles, openings and pressure capabilities
- Offers a great value with it's profiled rail, spatter resistant spindle and simplified heavy duty pad

BESSEY® Product #	Throat Depth	Clamping Capacity	Clamping Force	Price 1+	Price 4+
GS12-8K	3 1/8"	4"	550 lbs.	\$13.04	\$12.13
GS16K	3 1/8"	6"	550 lbs.	\$13.62	\$12.67
GS20K	4"	8"	880 lbs.	\$23.89	\$22.22
GS16-12K	4 3/4"	6"	1000 lbs.	\$22.25	\$20.70
GS25K	4 3/4"	10"	1000 lbs.	\$26.74	\$24.87
GS30K	5 1/2"	12"	1200 lbs.	\$33.20	\$30.88
GS60K	4 3/4"	24"	1200 lbs.	\$47.84	\$44.49

Buy 4+  
**\$83<sup>69</sup>**  
ea.

## High-performance clamps

- BESSEY® MorPad tilts to 35°, patented construction extends clamp life at full capacity
- Heat treated, high carbon Acme threaded screw - tempered and quenched to give greater load capacity with longer service life
- High-strength electro-galvanized sliding pin T-handle - rounded ends for comfort size engineered to load capacity

BESSEY® Product #	Throat Depth	Clamping Capacity	Clamping Force	Price 1+	Price 4+
-------------------	--------------	-------------------	----------------	----------	----------

### Medium duty (1800-S) with ergonomic grip

- Patented rail profile, more clamp force with fewer spindle turns
  - New u-shaped sliding arm for a straight line power transmission
- |          |        |     |           |          |          |
|----------|--------|-----|-----------|----------|----------|
| 1800-S8  | 4 3/4" | 8"  | 1980 lbs. | \$89.99  | \$83.69  |
| 1800-S12 | 4 3/4" | 12" | 1980 lbs. | \$97.99  | \$91.13  |
| 1800-S18 | 4 3/4" | 18" | 1980 lbs. | \$109.99 | \$102.29 |
| 1800-S24 | 4 3/4" | 24" | 1980 lbs. | \$124.99 | \$116.24 |

### Heavy duty (4800S)

4800S-12	7"	12"	4880 lbs.	\$204.36	\$190.05
4800S-18	7"	18"	4880 lbs.	\$227.34	\$211.43
4800S-24	7"	24"	4880 lbs.	\$244.86	\$227.72
4800S-36	7"	36"	4880 lbs.	\$272.99	\$253.88
4800S-48	7"	48"	4880 lbs.	\$299.99	\$278.99
4800S-60	7"	60"	4880 lbs.	\$329.99	\$306.89

### Extra heavy duty (7200S)

7200S-12	8"	12"	7770 lbs.	\$476.99	\$443.60
7200S-18	8"	18"	7770 lbs.	\$499.99	\$464.99
7200S-36	8"	36"	7770 lbs.	\$579.99	\$539.39

### Extra high pressure (8500HPC)

8500HPC-6	4"	6"	8500 lbs.	\$199.99	\$185.99
8500HPC-14	4"	14"	8500 lbs.	\$239.99	\$223.19



**NEW**

Buy 4+  
**\$14<sup>42</sup>**  
ea.



## 540 series ductile alloy C-clamps

- Made of high tensile ductile alloy casting provides excellent strength in a cast clamp
- Black oxide spindle to resist corrosion

BESSEY® Product #	Throat Depth	Clamping Capacity	Load Test	Price 1+	Price 4+
540 - 2-1/2	1 3/4"	0-2 1/2"	1100 lbs.	\$15.51	\$14.42
540 - 3	1 7/8"	0-3"	1800 lbs.	\$16.66	\$15.49
540 - 4	2 1/16"	0-4"	2150 lbs.	\$18.96	\$17.63
540 - 6	2 3/4"	0-6"	2450 lbs.	\$30.46	\$28.33
540 - 8	3 1/4"	0-8"	2750 lbs.	\$35.06	\$32.61
540 - 10	3 5/8"	0-10"	2850 lbs.	\$52.31	\$48.65
540 - 12	3 5/8"	0-12"	2850 lbs.	\$64.96	\$60.42





Buy 4+  
\$69<sup>74</sup> ea.

### Strap cutter

- Cuts steel straps up to 32 x1mm (1 1/4 x 1/32) with one hand
- Holds banding tightly during cut to prevent banding from springing up

**D123S-SB** • 10 1/4" overall length  
• 1 1/2" blade length  
1+ 4+  
\$74<sup>99</sup> ea. \$69<sup>74</sup> ea.



Buy 4+  
\$10<sup>22</sup> ea.

### MultiSnip - Offset

- Stainless steel blade
- Spring opens cutter automatically
- Thumb operated lock

**D48A-BE** • 7 1/2" overall length  
• 1 3/8" blade length  
1+ 4+  
\$10<sup>99</sup> ea. \$10<sup>22</sup> ea.



Buy 4+  
\$32<sup>54</sup> ea.

### Super nibbler

- Capable of cutting a 2" (50 mm) hole (starting hole of 8.5 mm required)
- Distortion free cuts of up to 1.2 mm thick in normal sheet metal

**D24-SB** • 10 1/2" overall length  
1+ 4+  
\$34<sup>99</sup> ea. \$32<sup>54</sup> ea.



Buy 4+  
\$13<sup>01</sup> ea.

### Straight blade SuperPower snips

- Compound SuperPower snips need 50% less hand force than ordinary pattern snips
- Cuts up to 19 ga. (1.0 mm) cold rolled steel or 25 ga. (0.6 mm) stainless steel - HRC up to 62

BESSEY® Product #	Overall Length	Blade Length	Sheet Thickness	Price 1+	Price 4+
D-SPS8	8 1/2"	1 3/4"	1.2 mm	\$13.99	\$13.01
D-SPS11	11 1/2"	2 1/4"	1.2 mm	\$19.99	\$18.59

Buy 4+  
\$27<sup>50</sup> ea.

### C-clamps

- Drop forged, heat-treated steel frame and swivel pad

BESSEY® Product #	Throat Depth	Clamping Capacity	Clamping Force	Price 1+	Price 4+
<b>Heavy duty (100 Series) - Hex head on T-handle</b>					
B-102	1 1/2"	0-2"	7,500 lbs.	\$47.40	\$44.08
B-103	2"	0-3"	8,750 lbs.	\$53.37	\$49.63
B-104	2 1/4"	0-4"	10,000 lbs.	\$59.31	\$55.16
B-106	2 1/2"	2-6"	11,250 lbs.	\$71.17	\$66.19
B-108	2 3/4"	4-8"	12,500 lbs.	\$86.59	\$80.53
B-110	2 7/8"	6-10"	13,750 lbs.	\$100.83	\$93.77
<b>Heavy service (HS Series) (Fully closing) - Hex head on spindle</b>					
B-HS0	1 1/16"	0-3/4"	2,800 lbs.	\$29.57	\$27.50
B-HS1	1 3/32"	0-1 3/8"	5,600 lbs.	\$33.97	\$31.59
B-HS1.5	1 7/16"	0-1 13/16"	8,750 lbs.	\$37.74	\$35.10
B-HS2	1 7/8"	0-2 3/8"	12,500 lbs.	\$55.17	\$51.31
B-HS3	2 1/2"	0-3 5/16"	16,250 lbs.	\$69.21	\$64.37
B-HS4	2 7/8"	0-4 5/8"	20,000 lbs.	\$95.56	\$88.87
B-HS5	3 1/16"	0-5 3/8"	23,800 lbs.	\$122.13	\$113.58
B-HS6	3 1/2"	0-6 5/8"	27,500 lbs.	\$150.27	\$139.75
B-HS8	4 1/8"	0-8 1/4"	31,250 lbs.	\$218.60	\$203.30
B-HS10	4"	0-10 3/8"	35,000 lbs.	\$290.01	\$269.71
B-HS12	4"	0-12 1/2"	40,000 lbs.	\$431.46	\$401.26



From  
\$1342<sup>69</sup> ea.

### Reco induction bearing heaters

- Extend bearing life and cut operating cost by eliminating hammering and pounding to cold-mount bearings
- Works on bearings, sprockets, gears, couplings, sleeves
- Reduces risk to operator from flames, torches or oil baths
- Demagnetizes bearings - easy to use, ready in minutes
- All bearing heaters are single phase units

BESSEY® Product #	Voltage	Standard Cross Bars	Optional Cross Bars	Price 1+
SC 110V	110V (17 amp)	3/4", 2"	1/2", 1 1/4"	\$1342.69
SC 220V	220V (9 amp)	3/4", 2"	1/2", 1 1/4"	\$1342.69
BC 440V	440V (20 amp)	1 1/4", 3"	3/4", 1", 2"	\$2724.86
BC 550V	550V (20 amp)	1 1/4", 3"	3/4", 1", 2"	\$3079.76



Buy 4+  
\$65<sup>09</sup> ea.

### SuperGrip™ with profiled rail

- Grip plier and clamp in one tool
  - SG-8WP**
    - 2 1/2" opening
    - 8" clamp capacity
    - 440 lbs of clamp force
- 1+ 4+  
\$69<sup>99</sup> ea. \$65<sup>09</sup> ea.





Buy 4+  
\$179<sup>99</sup>  
ea.

**K Body® REVO™ framing kit**

KRK2440	2 x KR3.524 (24" K Body® REVO™ clamps) 2 x KR3.540 (40" K Body® REVO™ clamps) 1 set of KP BLOCKS (4 blocks per set)	\$179 <sup>99</sup> ea.
KRK2450	2 x KR3.524 (24" K Body® REVO™ clamps) 2 x KR3.550 (50" K Body® REVO™ clamps) 1 set of KP Blocks (4 blocks per set)	\$189 <sup>99</sup> ea.



Buy 4+  
\$26<sup>03</sup>  
ea.

**Angle clamp (WS)**

- Holds and aligns material at a 90° angle
- Adjusts automatically to wood thickness
- Galvanized spindle, Acme thread
- Die cast jaw - plastic coated to protect work
- Max. clamp capacity, both sides 4" thick

**WS-3**

- Max. passage for joints of 1 1/8"

1+      4+  
\$27<sup>99</sup> ea.    \$26<sup>03</sup> ea.



Buy 4+  
\$179<sup>99</sup>  
ea.

**K Body® REVO™ Extender kit**

KRX2440	2 x KR3.524 (24" K Body® REVO™ clamps) 2 x KR3.540 (40" K Body® REVO™ clamps) 2 x K Body® Extenders	\$179 <sup>99</sup> ea.
KRX2450	2 x KR3.524 (24" K Body® REVO™ clamps) 2 x KR3.550 (50" K Body® REVO™ clamps) 2 x K Body® Extenders	\$189 <sup>99</sup> ea.



Buy 4+  
\$69<sup>74</sup>  
ea.

**Edge clamp, one hand (EKT)**

- For quick one-handed operation
- Two large non-slip, opposing, gentle jaws for positive grip
- Swivel pressure plate

**EKT-55**

- Throat depth of 3"
- Clamping capacity of 2 1/8"
- 500 lbs of clamping force

1+      4+  
\$74<sup>99</sup> ea.    \$69<sup>74</sup> ea.



Buy 4+  
\$116<sup>24</sup>  
ea.

**6 piece EZS combo kit**

- Clamping force up to 445 lbs
- No tools required for conversion to spreading

EZS Combo	2 x EZS15-8 (6" clamp capacity)	1+ \$124 <sup>99</sup> ea.	4+ \$116 <sup>24</sup> ea.
	2 x EZS30-8 (12" clamp capacity)		
	2 x EZS45-8 (18" clamp capacity)		





# IT'S A PRICE MELTDOWN!

Simply better.

Distributed by:

Buy 4+  
**\$12.08** ea.

## Malleable cast bar clamps with 2K handle

- 2K composite handle with comfort insert
- Extremely rigid high quality profiled rail
- Standard pads are field replaceable
- Malleable cast jaws feature corrugated design for strength and durability
- All TG Series Tradesmen's clamps are Made in Germany

BESSEY® Product #	Throat Depth	Clamping Capacity	Clamping Force	Price 1+	Price 4+
<b>Light duty</b>					
TGJ.506+2K	2 1/2"	6"	600 lbs.	\$12.99	\$12.08
TG4.008+2K	4"	8"	880 lbs.	\$19.99	\$18.59
<b>Medium duty</b>					
TG5.512+2K	5 1/2"	12"	1320 lbs.	\$29.99	\$27.89
TG7.016+2K	7"	16"	1320 lbs.	\$38.99	\$36.26



Buy 4+  
**\$5.57** ea.

## Light duty, zinc die cast

- Zinc die cast jaws are light weight
- Serrated rail for slip resistant grip
- Non-marring plastic caps on pressure pad

BESSEY® Product #	Throat Depth	Clamping Capacity	Clamping Force	Price 1+	Price 4+
LM2.004	2"	4"	330 lbs.	\$5.99	\$5.57
LM3.006	3"	6"	330 lbs.	\$11.99	\$11.15
LM4.008	4"	8"	440 lbs.	\$15.99	\$14.87



Buy 4+  
**\$34.40** ea.

## Solid surface seaming tool (PS)

- Twin vacuum cups for clamping non-porous, solid surface material like granite, marble, corian, plastic or glass
- Levelling toggles ensure smooth surface joint, reduces grinding, sanding and finishing
- PS55 pulls, holds and levels joint while you fasten... greatly enhanced productivity

BESSEY® Product #	Clamping Capacity	Cup Diameter	Price 1+	Price 4+
PS55	2 1/8"	5"	\$229.99	\$213.89

Buy 4+  
**\$213.89** ea.



## Variable angle (VAS)

- Even pressure on mitre joints
- High quality strap clamp
- Comes with 4 pivoting Vario corners

<b>VAS-23</b>	• up to 23' clamp capacity
1+	4+
<b>\$36<sup>99</sup></b> ea.	<b>\$34<sup>40</sup></b> ea.

