

Safety Data Sheet

Skyspring Nanomaterials, Inc. www.ssnano.com

Revision date: 01/01/2024

• Drod			
• Product details:			
• Trade	 Trade name: Nickel powder Stock number: 9220XH 		
• Stoc			
SkySp 2935 Phone	facturer/Supplier: pring Nanomaterials, Inc. Westhollow Dr., Houston, TX 77082, USA e: 281-870-1700, Fax: 281-870-8002, L: sales@ssnano.com		
2. Haza	rd Identification		
Skin Sensitisation (category 1), H 317 Carcinogenicity (Category 2), H 351 Specific target organ toxicity - repeated exposure, Inhalation (category 1), H 372 Acute aquatic toxicity (category 1), H400 Chronic aquatic toxicity (Category 1), H 410			
Chro			
2.2. GH	nic aquatic toxicity (Category 1), H 410 S Label elements, including precautionary statements		
2.2. GH Picog Signa Hazaro H228 H317	nic aquatic toxicity (Category 1), H 410 S Label elements, including precautionary statements ram l word Danger d statement(s) Flammable solid May cause an allergic skin reaction		
2.2. GH Picog Signa Hazaro H228 H317	nic aquatic toxicity (Category 1), H 410 S Label elements, including precautionary statements ram 1 word Danger d statement(s) Flammable solid May cause an allergic skin reaction Suspected of causing cancer Causes damage to organs through prolonged or repeated		
2.2. GH Picog Signa Hazaro H228 H317 H351 H372 H410 Preca P201 O P202 D	nic aquatic toxicity (Category 1), H 410 S Label elements, including precautionary statements ram 1 word Danger d statement(s) Flammable solid May cause an allergic skin reaction Suspected of causing cancer		

```
P240 Ground / bond container and receiving equipment
P241 Use explosion - proof electrical /ventilating
       /lighting/equipment
 P260 Do not breathe dust /fume/ gas/ mist /vapor/spray
P264 Wash skin after handling
P270
      Do not eat
P273 Avoid release to environment
P280 Wear protective gloves/ Protective clothing/ eye
      protection/ face protection
P405 store locked up
 P501 Dispose of contents /container to approved waste
      disposal plant
3 Composition on ingredients:
• Chemical characterization:
             Description:
   (CAS#)
               Nickel (CAS# 7440-02-0), 100%
Identification number(s):
• EINECS Number: 231-111-4
• EU Number: 028-002-00-7
4 First aid measures
• After inhalation
  Supply fresh air. If required, provide artificial
  respiration. Keep patient warm.
  Seek immediate medical advice.
• After skin contact
   Immediately wash with water and soap and rinse thoroughly.
  Seek immediate medical advice.
• After eye contact
  Rinse opened eye for several minutes under running water.
   Then consult a doctor.
• After swallowing Seek immediate medical advice.
5 Fire fighting measures
• Suitable extinguishing agents Extinguishing powder. Do not
  use water.
• For safety reasons unsuitable extinguishing agents
  Water
  Carbon dioxide
• Special hazards caused by the material, its products of
```

```
combustion or
    resulting gases:
  In case of fire, the following can be released:
  Toxic metal oxide fume
• Protective equipment:
  Wear self-contained respirator.
  Wear fully protective impervious suit.
6 Accidental release measures
• Person-related safety precautions:
  Wear protective equipment. Keep unprotected persons away.
  Ensure adequate ventilation
  Keep away from ignition sources
• Measures for environmental protection:
  Do not allow material to be released to the environment
  without proper governmental permits.
• Measures for cleaning/collecting:
  Dispose contaminated material as waste according to item
  13.
  Ensure adequate ventilation.
  Keep away from ignition sources.
• Additional information:
  See Section 7 for information on safe handling
  See Section 8 for information on personal protection
  equipment.
  See Section 13 for disposal information.
7 Handling and storage
• Handling
• Information for safe handling:
  Keep container tightly sealed.
  Store in cool, dry place in tightly closed containers.
  Ensure good ventilation at the workplace.
  Prevent formation of dust.
• Information about protection against explosions and fires:
  Keep ignition sources away.
  Protect against electrostatic charges.
  Fumes can combine with air to form an explosive mixture.
  Storage
• Requirements to be met by storerooms and receptacles:
```

```
Store in a cool location.
 Information about storage in one common storage facility:
  Store away from oxidizing agents.
  Store away from halogens.
  Do not store together with acids.
• Further information about storage conditions:
  Keep container tightly sealed.
  Store in cool, dry conditions in well sealed containers.
8 Exposure controls and personal protection
• Additional information about design of technical systems:
  Properly operating chemical fume hood designed for
  hazardous chemicals and having an average face velocity of
  at least 100 feet per minute.
  Components with limit values that require monitoring at the
  workplace:
  Nickel and inorganic compounds, as Ni
                      mg/m3
  ACGIH TLV
                       1.5, A5-inhalable particulate (metal)
                       0.2, Al-inhalable particulate
   (insoluble compounds)
                       0.1, A4-inhalable particulate (soluble
  compounds)
  Austria
                      Carcinogen
  Denmark TWA
                      0.05
  Finland TWA
                      0.1 (skin) Carcinogen
  France VME
                      1; C3-Carcinogen
  Germany
                      Carcinogen
                      0.005-STEL; Carcinogen (insoluble
  Hungary
  compounds)
  Japan
                      1; 2B-Carcinogen
  Netherlands MAC-TGG 1; Carcinogen
                      1 (insoluble compounds)
  Poland TWA
                      0.25
                      0.05-STEL
  Russia
  Sweden NGV
                      0.5 (dust)
  Switzerland MAK-W 0.5; Carcinogen
  United Kingdom TWA 0.1
  USA PEL
                       1
 Additional information: No data
 Personal protective equipment
```

```
General protective and hygienic measures
  The usual precautionary measures for handling chemicals
  should be followed.
  Keep away from foodstuffs, beverages and feed.
  Remove all soiled and contaminated clothing immediately.
  Wash hands before breaks and at the end of work.
• Breathing equipment:
  Use suitable respirator when high concentrations are
  present.
• Protection of hands: Impervious gloves
• Eye protection: Safety glasses
• Body protection: Protective work clothing.
9 Physical and chemical properties:
• General Information
• Form: Powder
• Color: Black
• Odor: Odorless
                             Value/Range Unit Method
• Change in condition
• Melting point/Melting range:
                                            1453 ° C
• Boiling point/Boiling range:
                                            2730 ° C
• Sublimation temperature / start: Not determined
• Flash point:
                                     Not applicable
• Flammability (solid, gaseous)
                                     Highly flammable.
                                     Not determined
• Ignition temperature:
• Decomposition temperature:
                                     Not determined
• Explosion limits:
                                     Not determined
 Lower:
                                     Not determined
• Upper:
                                     Not determined
• Vapor pressure:
              at 20 °C
                                        8.908 g/cm<sup>3</sup>
• Density:
```

```
Solubility in / Miscibility with
                                       Insoluble
 • Water:
10 Stability and reactivity
 • Thermal decomposition / conditions to be avoided:
    Decomposition will not occur if used and stored according
   to specifications.
 • Materials to be avoided:
    Acids
   Oxidizing agents
   Interhalogens
   Halogens
    Sulfur
    Ammonia
 • Dangerous reactions Very fine powder: spontaneously
    flammable in air.
 • Dangerous products of decomposition: Metal oxide fume
11 Toxicological information
 • Acute toxicity:
 • Primary irritant effect:
 • on the skin: Irritant to skin and mucous membranes.
 • on the eye: Irritating effect.
 • Sensitization: Sensitization possible through skin contact.
 • Other information (about experimental toxicology):
    Tumorigenic effects have been observed on tests with
    laboratory animals.
 • Subacute to chronic toxicity:
   Nickel and nickel compounds may cause a form of dermatitis
    known as nickel itch. They may also cause intestinal
    disorders, convulsions and asphyxia. Airborne nickel
    contaminated dusts are regarded as carcinogenic to the
    respiratory tract.
 • Additional toxicological information:
    To the best of our knowledge the acute and chronic toxicity
    of this substance is not fully known.
    EPA-A: human carcinogen: sufficient evidence from
    epidemiologic studies to support a causal association
    between exposure and cancer.
    IARC-2B: Possibly carcinogenic to humans: limited evidence
```

in humans in the absence of sufficient evidence in experimental animals. NTP-2: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals. ACGIH A5: Not suspected as a human carcinogen: Not suspected as a human carcinogen on the basis of properly conducted epidemiologic studies in humans. Studies have sufficiently long follow-up, reliable exposure histories, sufficiently high dose, and adequate statistical power to conclude that exposure to the agent does not convey a significant risk of cancer to humans. Evidence suggesting a lack of carcinogenicity in experimental animals will be considered if it is supported by other relevant data. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product. 12 Ecological information: • General notes: Do not allow material to be released to the environment without proper governmental permits. 13 Disposal considerations • Product: Recommendation Consult state, local or national regulations to ensure proper disposal. • Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations. 14 Transport information • DOT regulations: • Hazard class: 4.1 • Identification number: UN3089 • Packing group: ΤI • Proper shipping name (technical name):

Metal powders, flammable, n.o.s., powder

nickel

٠	Land transport ADR/RID (cross-border)			
٠	ADR/RID class:	4.1 Flammable solids		
٠	Item:	13b		
٠	Danger code (Kemler):	40		
٠	UN-Number:	3089		
•	Description of goods: nickel	Metal powders, flammable, n.o.s.,		
		powder		
•	• Maritime transport IMDG:			
٠	IMDG Class:	4.1		
٠	UN Number:	3089		
٠	Packaging group:	II		
•	Proper shipping name: nickel	Metal powders, flammable, n.o.s.,		
		powder		
•	• Air transport ICAO-TI and IATA-DGR:			
•	ICAO/IATA Class:	4.1		
•	UN/ID Number:	3089		
٠	Packaging group:	II		
•	Proper shipping name: nickel	Metal powders, flammable, n.o.s.,		
	nickei	powder		
15 Regulations				
٠	 Product related hazard informations: 			
•	• Hazard symbols: Xn Harmful F Highly flammable			
•	• Risk phrases: 11 Highly flammable. 40 Limited evidence of carcinogenic effects. 43 May cause sensitization by skin contact.			
•	• Safety phrases: 22 Do not breathe dust. 36 Wear suitable protective clothing.			

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. This product contains a chemical known to the state of California to cause cancer or reproductive toxicity.

• Information about limitation of use:

For use only by technically qualified individuals. This product contains nickel and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know act of 1986 and 40CFR372.

16 Other information:

٠

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.