



Safety Data Sheet

Skyspring Nanomaterials, Inc.

www.ssnano.com

Revision Date: 09/01/2024

1 Identification of substance:

- **Product details:**
- **Product name:** Titanium powder
- **Stock number:** 1131DX
- **Manufacturer/Supplier:**
SkySpring Nanomaterials, Inc.
2935 Westhollow Dr., Houston, TX 77082, USA
Phone: 281-870-1700, Fax: 281-870-8002,
Email: sales@ssnano.com

2 Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Flammable solids (Category 1), H228
Self-heating chemicals (Category 2), H252

2.2 GHS Label elements, including precautionary statements



Pictogram

Signal word Danger

Danger Hazard statement(s)

H228 Flammable solid.

H252 Self-heating in large quantities; may catch fire.

Precautionary statement(s)

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P235 + P410 Keep cool. Protect from sunlight.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P280
Wear protective gloves/ eye protection/ face protection.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant
foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P407 Maintain air gap between stacks/ pallets.

P420 Store away from other materials.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

• **3 Composition/Data on components:**

• **Chemical characterization:**

Description: (CAS#)

Titanium (CAS# 7440-32-6), 100%

• **Identification number(s):**

• **EINECS Number:** 231-142-3

• **4 First aid measures**

• **After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

• **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

• **After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

• **After swallowing** Seek immediate medical advice.

• **5 Fire fighting measures**

• **Suitable extinguishing agents**

Special powder for metal fires. Do not use water.

• **For safety reasons unsuitable extinguishing agents**

Water

Carbon dioxide

Halogenated extinguisher

Dry chemical

• **Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

• **6 Accidental release measures**

• **Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

• **Measures for environmental protection:**

Do not allow material to be released to the environment without proper governmental permits.

• **Measures for cleaning/collecting:**

Ensure adequate ventilation.

Keep away from ignition sources.

• **Additional information:**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• **7 Handling and storage**

• **Handling**

• **Information for safe handling:**

Handle under dry argon.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

• **Information about protection against explosions and fires:**

Keep ignition sources away.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

• **Storage**

• **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

• **Information about storage in one common storage facility:**

Store away from air.

Store away from halogens.

Do not store together with acids.

Store away from oxidizing agents.

• **Further information about storage conditions:**

Store under dry inert gas.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

• **8 Exposure controls and personal protection**

• **Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Not required.

• **Additional information:** No data

• **Personal protective equipment**

• **General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• **Breathing equipment:**

Use suitable respirator when high concentrations are present.

• **Protection of hands:** Impervious gloves

• **Eye protection:**

Safety glasses

Full face protection

• **Body protection:** Protective work clothing.

• **9 Physical and chemical properties:**

- **General Information**

- **Form:** Powder
- **Color:** Black gray
- **Odor:** Odorless

	<u>Value/Range</u>	<u>Unit</u>	<u>Method</u>
• Change in condition			
• Melting point/Melting range:	1668	° C	
• Boiling point/Boiling range:	3260	° C	
• Sublimation temperature / start:	Not determined		
• Flash point:	Not applicable		
• Ignition temperature:	250	° C	
• Decomposition temperature:	Not determined		
• Auto igniting:	Spontaneously flammable in air.		
• Explosion limits:			
• Lower:	Not determined		
• Upper:	Not determined		
• Vapor pressure:	Not determined		
• Density:	at 20 ° C	4.507	g/cm ³
• Solubility in / Miscibility with			
• Water:	Insoluble		

- **10 Stability and reactivity**

- **Thermal decomposition / conditions to be avoided:**
Decomposition will not occur if used and stored according to specifications.
- **Materials to be avoided:**
Oxygen
Halogens
Aluminum/aluminum alloys.
Carbon dioxide
Halocarbons
Acids
Water/moisture
- **Dangerous reactions**
Reacts with oxidizing agents
Dry powder: spontaneously flammable in air.
Reacts with halogenated compounds
Reacts violently with interhalogens.
- **Dangerous products of decomposition:** Metal oxide fume

- **11 Toxicological information**

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Other information (about experimental toxicology):**
Tumorigenic effects have been observed on tests with laboratory animals.
Reproductive effects have been observed on tests with laboratory animals.

- **Subacute to chronic toxicity:**

Titanium and titanium compounds are considered physiologically inert. There are no reported cases in the literature where titanium as such has caused human intoxication.

- **Additional toxicological information:**

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

- **12 Ecological information:**

- **General notes:**

Do not allow material to be released to the environment without proper governmental permits.

- **13 Disposal considerations**

- **Product:**

- **Recommendation**

Consult state, local or national regulations to ensure proper disposal.

- **Uncleaned packagings:**

- **Recommendation:**

Disposal must be made according to official regulations.

- **14 Transport information**

- **DOT regulations:**

- **Hazard class:** 4.2

- **Identification number:** UN2546

- **Packing group:** II

- **Proper shipping name (technical name):**

Titanium powder, dry

- **Land transport ADR/RID (cross-border)**

- **ADR/RID class:** 4.2 Substances liable to spontaneous combustion

- **Item:** 12b

- **Danger code (Kemler):** 40

- **UN-Number:** 2546

- **Description of goods:** Titanium powder, dry

- **Maritime transport IMDG:**

- **IMDG Class:** 4.2

- **UN Number:** 2546

- **Packaging group:** II

- **Proper shipping name:** Titanium powder, dry

- **Air transport ICAO-TI and IATA-DGR:**

- **UN/ID Number:** 2546

- **Packaging group:** II

- **Proper shipping name:** Titanium powder, dry

- **15 Regulations**

- **Product related hazard informations:**

- **Hazard symbols:**

Xi Irritant F Highly flammable

- **Risk phrases:**

17 Spontaneously flammable in air.

36/37/38 Irritating to eyes, respiratory system and skin.

- **Safety phrases:**

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- **National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

- **Information about limitation of use:**

For use only by technically qualified individuals.

- **16 Other information:**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.